















66 33 66 33 66 33 66  
 33  
 66 33  
 66 33







功能通信设置帮助

常用参数高级设置通道模式

通道参数

| 名称   | 维护通道 | 远程通道1 | 远程通道2 |
|------|------|-------|-------|
| 通道启用 | 禁用   | 禁用    | 禁用    |
| 工作模式 |      |       |       |

“ ”

“ ”

“ ”

“ ” “ ”

“ ”

“ ” “ ”

“ ”

“ ”

功能通信设置帮助

常用参数高级设置通道模式

通道参数串口参数手机卡

| 名称    | 维护串口 | RTU1串口 | RTU2串口 |
|-------|------|--------|--------|
| 波特率   | 9600 | 9600   | 9600   |
| 数据位长度 | 8    | 8      | 8      |

“ ”

“ ” “ ”

“ ” “ ”

“ ”

通信设置 帮助

常用参数

名称卡1卡2

串口参数

短信服务中心号码 (未使用)

APN (最大64位)

用户名 (最大32位)

密码 (最大32位)

手机号码 (以+86开头)

SIM卡类型

网络模式

卡1卡2

静态IP

静态IP

自动

自动

“ ”

“ ”

“ ” “ ”

“ ”


“ ”

“ ”


” “ ” “ ”

“ ”





“ ”



“ ” “ ”

“ ” “ ”

“ ” “ ”


“ ”




“ ” “ ” “ ” “ ”




“ ”

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |







66

99

66

99

66

99

66

99

\*



|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |

注意